




Mini Catalog 2009

Flexilight - the Culture of Rope Light



Wide Loyal Illuminations Inc.
Suite A109 - 2530 Corporate Place,
Monterey Park, CA, 91754
Tel: 323-262-1888
Fax: 323-262-1999
www.wideloyal.us

LED Instant Flexilight - the most popular rope light



Long-lasting

Up to 100,000 hours

Energy-saving

Less than 1 watt per foot

Durable

LED instead of fragile bulbs

Ultra-bright

Up to 80 lumens

Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2" Diameter	1"	2	150' /153', 200'


Voltage	12V	24V	110V/120V	220V/240V
Wattage	0.88W/Foot White/Blue/Emerald	0.88W/Foot White/Blue/Emerald	0.8W/Foot White/Blue/Emerald	0.8W/Foot White/Blue/Emerald
	0.44W/Foot Red/Green/Yellow	0.44W/Foot Red/Green/Yellow	0.53W/Foot Red/Green/Yellow	0.53W/Foot Red/Green/Yellow
Max Run	50' White/Blue/Emerald	100' White/Blue/Emerald	600' White/Blue/Emerald	1200' White/Blue/Emerald
	100' Red/Green/Yellow	200' Red/Green/Yellow	900' Red/Green/Yellow	1800' Red/Green/Yellow
Unit Length	3" White/Blue/Emerald	6" White/Blue/Emerald	36" White/Blue/Emerald	72" White/Blue/Emerald
	6" Red/Green/Yellow	12" Red/Green/Yellow	54" Red/Green/Yellow	108" Red/Green/Yellow

LED Instant Flexilight is the most popular rope light using next-generation LED technologies. It's the easiest way to provide a long-lasting and cost-effective lighting solution. Available in both vertical and horizontal bulb insertion versions, LED Instant Flexilight suits every application of yours, whatever your taste or mood is.

***** Almost all our traditional incandescent Flexilight models can be made with LED. Please call us for more details on all the varieties of LED Flexilight.**



Instant Flexilight - the classic and the standard of rope light



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2" Diameter	1"	2	12', 18', 24', 30', 50', 150, 200'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	3W/Foot	5.52W/Foot
Max Run	30'	60'	200'	300'
Unit Length	4"	8"	24"	36"

Mini Flexilight - the thinnest and the most flexible rope light



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	3/8" Diameter	1"	2	150', 200'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	3W/Foot	5.52W/Foot
Max Run	30'	60'	200'	300'
Unit Length	4"	8"	24"	36"

Chasing Flexilight - the most affordable way to create a dynamic lighting effect



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2" Diameter	1"	3	148', 200'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	3W/Foot	5.52W/Foot
Max Run	30'	60'	200'	300'
Unit Length	8"	16"	48"	72"


Bi-Color Chameleon Flexilight - a groovy chic with gradual color changing



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2" Diameter	1"	3	148', 200'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	3W/Foot	5.52W/Foot
Max Run	30'	60'	200'	300'
Unit Length	8"	16"	48"	72"

Super-Chasing Flexilight - creating single color or 3-color directional chasing effect



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	9/16" Diameter	1"	4	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	148'	295'
Unit Length	12"	24"	54"	108"

Multi-Chasing Flexilight - creating single color or 4-color directional chasing effect



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	5/8" Diameter	1"	5	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	16"	32"	72"	144"




Super Instant Flexilight - a brighter classic with more light bulbs



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2" Diameter	0.82"	2	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	3.07/Foot	3.07W/Foot	6.73/Foot	6.73W/Foot
Max Run	27'	54'	148'	295'
Unit Length	6.56"	13.12"	14.76"	29.52"

Super-Brite Instant Flexilight - 140% brighter and 25% thicker than Instant Flexilight



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	5/8" Diameter	0.98"	2	164'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	-	-	7.32W/Foot	7.32W/Foot
Max Run	-	-	120'	240'
Unit Length	-	-	19.68"	39.36"

Super-Brite Chasing Flexilight - 140% brighter and 25% thicker than Chasing Flexilight



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	5/8" Diameter	0.98"	3	164'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	-	-	7.32W/Foot	7.32W/Foot
Max Run	-	-	120'	240'
Unit Length	-	-	39.36"	78.72"


Square Instant Flexilight - a square version of the popular Instant Flexilight



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Square	1/2" x 1/2"	1"	2	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	4"	8"	18"	36"


Square Mini Flexilight - a square version of the popular Mini Flexilight



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Square	3/8" x 3/8"	1"	2	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	4"	8"	18"	36"

Square Chasing Flexilight - a square version of the popular Chasing Flexilight




Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Square	1/2" x 1/2"	1"	3	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	8"	16"	36"	72"



Rectango Instant Flexilight - a flat rope light with great brightness



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Rectangular	2/5" x 7/10"	0.98"	2	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.56W/Foot	2.56W/Foot	7.32W/Foot	7.32W/Foot
Max Run	30'	60'	120'	240'
Unit Length	3.94"	7.87"	19.68"	39.36"

* The above tech specs are for vertically inserted bulbs. Those for horizontally inserted bulbs will differ. Please call for more details.

Rectango Chasing Flexilight - a flat chasing rope light with great brightness




Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Rectangular	2/5" x 7/10"	0.55"	3	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	5W/Foot	5W/Foot	10.1W/Foot	10.1W/Foot
Max Run	15'	30'	75'	150'
Unit Length	4"	8"	19.68"	39.36"

* The above tech specs are for horizontally inserted bulbs. Those for vertically inserted bulbs will differ. Please call for more details.

Rectango Rainbow Flexilight - the largest Flexilight with the most versatile lighting effect



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Rectangular	8/17" x 8/7"	0.55"	5	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	5W/Foot	5W/Foot	10.1W/Foot	10.1W/Foot
Max Run	15'	30'	75'	150'
Unit Length	8"	16"	39.36"	78.72"


Xtra-Brite Instant Flexilight - the brightest Flexilight, thanks to its reflective band



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Rectangular	2/5" x 7/10"	0.98"	2	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.56W/Foot	2.56W/Foot	7.32W/Foot	7.32W/Foot
Max Run	30'	60'	120'	240'
Unit Length	3.94"	7.87"	19.68"	39.36"


Xtra-Brite Chasing Flexilight - the brightest Flexilight in a 3-wire chasing model



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Rectangular	2/5" x 7/10"	0.82"	3	148'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	3.07W/Foot	3.07W/Foot	6.73W/Foot	6.73W/Foot
Max Run	27'	54'	148'	295'
Unit Length	6.56"	13.12"	29.52"	59.04"

Roman Twist Flexilight - enhanced visual effect with its uniquely twisted surface pattern



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2"	1"	2	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	4"	8"	18"	36"

* Also available in 3/8" 2-wire and 1/2" 3-wire models.



Galactic Flexilight - a rope light that sparkles and glitters day and night




Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2"	1"	2	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	4"	8"	18"	36"

* Also available in 3/8" 2-wire and 1/2" 3-wire models.

Seamless Rainbow Flexilight - color light bulbs covered in a pearl white PVC tube



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2"	1"	2	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	4"	8"	18"	36"

* Also available in other models. Please call for details.

Joker Flexilight - a playful rope light with a colorful PVC surface



Shape	Thickness	Bulb Spacing	No. of Wires	Packages
Round	1/2"	1"	2	150'

Voltage	12V	24V	110V/120V	220V/240V
Wattage	2.52W/Foot	2.52W/Foot	5.52W/Foot	5.52W/Foot
Max Run	30'	60'	150'	300'
Unit Length	4"	8"	18"	36"

* Also available in 3/8" 2-wire and 1/2" 3-wire models.

You have just read about only a portion of our large variety of products. For details of other exciting lighting solutions, please give us a call at the toll-free number 1-888-3030931. You will love what we have to offer. Thank you for reading!

